



## APPENDIX 4D

# Kinnickinnic River Watershed




Baseline Annual Fecal Coliform Loads Ranked by Total Nonpoint Load Per Acre			
Assessment Point	Total load (billion counts)	Assessment Point Area (acres)	Total Nonpoint Load per acre (billion counts/acre/year)
KK-5	361,866	1,073	337
KK-2	327,952	1,097	299
KK-6	202,882	685	296
KK-1	247,097	853	290
KK-3	469,448	1,674	280
KK-10	376,749	1,366	276
KK-8	583,598	2,178	268
KK-9	185,810	766	243
KK-7	145,038	615	236
KK-4	458,078	2,477	185

## Kinnickinnic River Watershed



<b>Baseline Annual Total Phosphorus Loads Ranked by Total Nonpoint Load Per Acre</b>			
Assessment Point	Total load (pounds)	Assessment Point Area (acres)	Total Nonpoint Load per acre (pounds/acre/year)
KK-5	1006	1073	0.94
KK-6	599	684.8	0.88
KK-2	894	1097.4	0.82
KK-8	1727	2177.91	0.79
KK-10	1065	1366.17	0.78
KK-4	1846	2476.9	0.75
KK-1	625	853.21	0.73
KK-7	444	614.85	0.72
KK-3	1204	1674.26	0.72
KK-9	541	765.8	0.71

## Kinnickinnic River Watershed



Baseline Annual Total Suspended Solids Loads Ranked by Total Nonpoint Load Per Acre			
Assessment Point	Total load (tons)	Assessment Point Area (acres)	Total Nonpoint Load per acre (tons/acre/year)
KK-5	322	1073	0.30
KK-2	279	1097.4	0.25
KK-6	157	684.8	0.23
KK-10	293	1366.17	0.21
KK-8	444	2177.91	0.20
KK-4	442	2476.9	0.18
KK-7	109	614.85	0.18
KK-3	280	1674.26	0.17
KK-9	128	765.8	0.17
KK-1	142	853.21	0.17